



Review Article

Ethanomedicinal properties of Euphorbiaceae family- A comprehensive review

Sangha Bijekar^{1*}, MC. Gayatri¹***Corresponding author:****Sangha Bijekar**¹Department of Molecular Biology,
Bangalore University,
Bangalore-56.India**A b s t r a c t**

Family Euphorbiaceae is one the largest families of angiosperms, composed of over 300 genera and 8,000 species, with all types of plants ranging from large woody trees through climbing lianas to simple weeds that grow prostrate to the ground. The members of the family are cosmopolitan in distribution constituting both old and new world plants. Euphorbiaceae family consisting of large varieties of vegetative forms some of which are of great ethanomedicinal importance. In this review, an attempt has been made to provide data base on ethanomedicinal properties of 90 members of Euphorbiaceae family, it includes botanical name, local name, plant parts used for treatment and their reported activity. This study has revealed that Euphorbiaceae members act as an effective remedy for many diseases like antidiapheria, antioxidants, antibacterial, antiamoebic, anticancer, antiplasmodial, HIV/AIDS, jaundice, infertility, neurosis, syphilis, small pox, asthma, hypoglycemic, diabetes and inflammation etc.,

Keywords: Euphorbiaceae, Ethanomedicine, diseases

Introduction

The plants that possess therapeutic properties or exert beneficial pharmacological effects on the animal body are generally designated as "Medicinal plants". Ethanomedicine is the study of belief and practices concerning illness in different human population. It is a system of medicine practiced by people without the knowledge of literature but is effective in the health problem of respective communities. Ethanomedicine, a part of ethnobotany deals with the study of ethnic beliefs, concepts, knowledge and practices in the midst of the tribal for controlling or curing diseases [1]. The tribal's are familiar about the medicinal uses of plants found in their village's surroundings and forests areas. However, their young generation is not interested to hold this valuable traditional knowledge transmitted orally from generation to generation. Therefore before this traditional knowledge is lost it must be documented properly [2]. Pioneering research on indigenous medicinal plants was initiated by Sir Ram Nath Chopra, which is well documented in his comprehensive treatise [3].

The Euphorbiaceae is the one of the largest families of dicotyledons, and also has significant economic importance. The family has a cosmopolitan distribution with five subfamilies, 49 tribes, 317 genera and about 8,000 species. The family Euphorbiaceae is generally distinguished by the milky sap (when present), the unisexual flower, ovary superior and generally trilocular, placentation axile, ovules collateral, pendulous with ventral raphe and usually carunculate. Euphorbiaceae is considered as one of the top 25 economically important plant family (B.C Beneth) [4].

Historically, medicinal plants have provided a source for novel drug compounds and medicines derived from plants has made large contributions to health needs of many societies.

Drugs of herbal origin have been used in traditional systems of medicine such as Unani and Ayurveda since ancient times [5]. The use of the medicinal herbs for curing disease has been documented in history of all civilizations. Medicinal plants are of great importance to the health of individuals and communities. Herbal medicines are also cheap, easily available and affordable. Medicinal plants are the local heritage with global importance. The chemical compounds present in herbal products are a part of the physiological functions of living organisms, and hence they are believed to have better compatibility with the human body.

Medicinal plants are resources of new drugs. Cultivation and preservation of medicinal plants protect biological diversity. The therapeutic properties of medicinal plant are because of secondary metabolites i.e. phytochemicals such as tannins, alkaloids, steroids, glycosides, flavonoid, anthrocyanic etc. Herbal medicine is the most ancient form of health care known to humankind. The treatment and control of diseases by the use of available medicinal plants in a locality will continue to play significant roles in medical health care implementation in the developing countries [WHO, 2002]. There is therefore the need to look inwards to search for herbal medicinal plants with the aim of validating the ethanomedicinal use and subsequently the isolation and characterization of compounds which will be added to the potential lists of drugs.



Ethanomedicine of Euphorbiaceae is very diverse. According to Seigler 1994 [171] this diversity is due to the presence of a wide variety of unusual secondary metabolites. Further, the family comprises many plants possess poisonous substance that is Ricin which is protein found in *Ricinus communis* (Palatnick and Tenenbein, 2000) [172]. Other species such as *Jatropha Curcas L.* (Mampane et.al. 1987) [173], *Euphorbia scheffleri Pax*, *Euphorbia tirucalli L.*, *Euphorbia inaequilatera Sond*, *Euphorbia ledienii A Berger*, *Euphorbia heterophylla L.*, *Euphorbia cooperi N.E.Br. ex A. Berger*, *Euphorbia candelabrum Kotschy*, *Euphorbia venenifolia Tremaux ex Kotschy* *Euphorbia caput-medusae L.*, *Euphorbia silenifolia* (Haworth) Sweet, *Euphorbia ingens E. Mey.* Ex Boiss; *E. tirucalli*, *Euphorbia poissonii*, *Euphorbia unispina* and *E. venenifolia* (Abdel-Fattah 1987) [174] also posses poisonous compounds. In addition, some members are said to cause or influence susceptibility to certain body ailments. For example *E. tirucalli*, *Euphorbia leuconeura*, *J. curcas* and others are known to be cocarcinogenic and can influence/promote excessive cell division resulting in tumour growth (Hiota and Suttajit, 1988 [175]; Van Damme, 2001 [176]; Vogg et al., 1999) [177]. Also latex of *E. tirucalli* and *Euphorbia royleana* is known to cause conjunctivitis on contact with eyes (Shlamovitz et al., 2009 [179]; Van Damme, 1989 [176]). On other side, Hooper (2002) [179] reports the use of *Euphorbia polycarpa*, *Euphorbia hirta*, and *Acalypha indica L.* for treatment of different ailments in the ancient Ayurveda system. In ancient

Chinese medicine, Lai et al. (2004) [180] reports 33 species belonging to 17 genera of Euphorbiaceae used in herbal medicine. The www.botanical.com. website lists a number of Euphorbiaceae with varying curative features including: *Euphorbia peplus L.*, *Euphorbia peploides*, *Euphorbia pilosa*, *Euphorbia palustris* being remedies for hydrophobia; *Euphorbia peplus*, *Euphorbia helioscopia*, *Euphorbia humistrata*, *Euphorbia hypericifolia*, *Euphorbia portulacoides L.*, *Euphorbia iata Engelm*, *Euphorbia marginata Pursh*, *Euphorbia drummondii* and *Euphorbia heterodoxa* for general home ailments.

Some of the Euphorbiaceae plant extracts are registered drugs and as such available on the market. Examples include *Euphorbium* (resiniferatoxin), from latex of *Euphorbia resinifera* (Appendino and Szallasi, 1997) [181] marketed as 'Complexe Lehning Euphorbium N 88' and used as a nasal spray or compositum against viral infections, rhinitis of various origins, sinusitis, chronic nasal discharge, dry and inflamed nasal membranes as well as flu symptoms. *Euphorbia pilulifera* (the asthma weed) extract has been cited in Steadman's drugs list and can be applied against asthma, coryza and other respiratory infections and as an anti-spasmodic (www.drugs.com) [182].

The present paper highlights the ethanomedicinal properties of total 90 herbal medicinal plants belonging to Euphorbiaceae family. Table 1 gives a comprehensive overview of the reported medicinal activity of important medicinal plants

Table 1- Medicinal Properties of total 90 Euphorbiaceae plants.

Sr. No.	Botanical name	Plant part used	Vernacular name	Reported activity	Reference
1.	<i>Clutia abyssinica</i> Jaub. & Spach	Roots, leaves Decoction	Large or Smooth-fruited lightning-bush	Venereal and skin diseases, chest problems, cancer, fertility in both humans	[5-6]
2.	<i>Phyllanthus reticulates</i> (<i>Kirganelia reticulate</i>)	fruit	Leafflower(English) Panjulids(Hindi)	Used as astringent to the bowels and is used in inflammation	[7]
3.	<i>Phyllanthus reticulates</i> (<i>Kirganelia reticulate</i>)	leaves	Leafflower(English) Panjuli(Hindi)	Diuretic and cooling medicine, diarrhea in infants, sores, burns, suppurations and chafing of the skin.	[7]
4.	<i>Phyllanthus reticulates</i> (<i>Kirganelia reticulate</i>)	stems	Leafflower(English)Panjuli (Hindi)	Used to treat sore in eyes	[7]
5.	<i>Phyllanthus reticulates</i> (<i>Kirganelia reticulate</i>)	bark	Leafflower(English) Panjuli(Hindi)	Rheumatism, dysentery and veneral diseases, also used as ailments including small pox, syphilis, asthma, diarrhea, bleeding from gums	[8-9]
6.	<i>Tragia cannabina</i>	whole plant	Kaanchori(Tamil)	Anti-inflammatory	[10]
7.	<i>Codiaeum variegatum</i> (L.) Blume	Root	garden croton(English)	Decoction is taken to treat gastric ulcers	[11]
8.	<i>Codiaeum variegatum</i> (L.) Blume	leaves	garden croton(English)	Antibacterial and antiamoebic properties	[11]
9.	<i>Euphorbia heterophylla</i>	Vegetable and latex	Milkweed(English)	Insect bites	[12]
10.	<i>Euphorbia heterophylla</i>		Milkweed	Treatment for erysipelas, Treatment for cough,	[13-14]



			(English)		
11.	<i>Euphorbia hirta</i>	Different parts	hairy spurge (English)	bronchial paroxysmal asthma, hay fever, catarrh. Gonorrhea, tuberculosis, cough, rheumatic pains, stomach trouble, corneal opacity, wounds and insect bites, antimicrobial and anti-inflammatory activities	[15-17]
12.	<i>Croton argyratus</i>	Whole plant	Garden croton (English)	Anti-inflammatory, anticancer, cytotoxicity	[18-20]
13.	<i>Physalis minima</i>	Whole plant	Rasbhari (Hindi)	To cure Jaundice	[21]
14.	<i>Croton tiglium</i>	Whole plant	Garden croton (English)	Pain reliever and Dry cough cure liver diseases, sprains, snake bites, and as a purgative for the first as well as insanity, convulsions, asthma, tumors, rheumatism	[21 &169]
15.	<i>Hymenocardia ulmoides oliv.</i>	leaf	small red-heart	Diabetes, hypertension and is used as per to treat neuralgia, dysuria and asthma. It is also taken orally as a mixture with Nauclea latifolia to treat angina	[22-23]
16.	<i>Euphorbia wallichii</i>	root	Wallich Spurge (English)	<i>In vitro</i> phytotoxicity, cytotoxicity and antibacterial activity	[24]
17.	<i>Jatropha multifida</i>	Whole plant	Coral Bush (English)	Herbal tea to treat microbial infections	[25]
18.	<i>Acalypha fruticosa</i> forssk	Whole plant	Copper leaf (English)	Dyspepsia, stomachache, skin diseases, wounds and poisonous bites.	[26-32]
19.	<i>Acalypha fruticosa</i> forssk	leaf and stem	Copper leaf (English)	Skin diseases, malaria and wound	[33]
20.	<i>Acalypha fruticosa</i> forssk	Whole plant	Copper leaf (English)	Antidiarrhoeal , antioxidant, anti-inflammatory, anticancer, antiplasmodial, wound healing and cytotoxic properties.	[34-39]
21.	<i>Phyllanthus debilis</i> Klein.ex.willd	Whole plant	Niruri (Hindi)	Hepatoprotective	[40]
22.	<i>Bridelia micrantha</i> Hochst., Baill.	stem bark	Coast gold (English)	Intestinal parasites, gastritis, salmonellosis and gastro-enteritis, stomach problems, human immunodeficiency virus/acquired immune deficiency syndrome (HIV/AIDS), infertility, neurosis and psychosis	[41-42]
23.	<i>Hymenocardia acida</i> , Tul	leaf	Hymenocard-ia (English)	Decoction used as an eye wash	[43]
24.	<i>Hymenocardia acida</i> , Tul	Leaf, stem bark. Root bark	Hymenocard-ia (English)	Headache, chest pain, rheumatic pain, toothache, ear pain, migraine and sickle cell	[44]
25.	<i>Acalypha hispida</i>	Whole plant	Cat's Tail (English)	Laxative, diuretic, expectorant in asthma, in the treatment of leprosy and kidney ailments.	[45]
26.	<i>Phyllanthus amarus</i> Schum	Whole plant	Jar-Amla (Hindi)	Hepatoprotective , anti-diabetic, antihypertensive, analgesic, anti inflammatory and antimicrobial properties. stomach disorders, skin diseases and cold, anti-diarrhea effect, anti- viral activity against hepatitis B, anti-carcinogenic, anti- nociceptive and anti- inflammatory activities, antidiabetic and antilipidemic potentials	[46-52]
27.	<i>Euphorbia scarlatica</i> (L) O. Ktze	Stem	Spurge (English)	Stomach ache, common cold, TB	[53]
28.	<i>Securinega virosa</i>	Whole plant	Dhani (Hindi)	Mental illness, epilepsy	[54]
29.	<i>Ricinus</i>	Whole	Castor oil plant	Inflammation and liver disorders, Hypoglycemic,	[55-57]



	<i>communis L.</i>	plant	(English)	Laxative .	
30.	<i>Bridelia ferruginea</i> Benth.	Stem bark	Kirni	Antibiotic, skin infection, diuretic, febrifuge and urethral discharge.	[58]
31.	<i>Bidens pilosa</i>	Whole plant	Spanish Needle (English)	Poultice topically applied to sores, for ear aches and intestinal infections. Infusion taken for coughs and colics. Healing of peptic ulcers. Hot infusion of leaves for conjunctivitis.	[59]
32.	<i>Euphorbia thymifolia linn</i>	Whole plant	Chicken weed (English)	Laxative, diuretic, antihelmintics, constipation, skin diseases, bitter and antiviral anti-viral against simplex virus-2	[60&168]
33.	<i>Euphorbia tirucalli</i>	Whole plant	pencil plant	Molluscicidal activity, antibacterial activity, antiherpetic activity, anti-mutagenic warts, cancer, gonorrhoea, arthritis, asthma, cough, earache, neuralgia, rheumatism, toothache, excrescences, tumours	[61-65 & 164-166]
34.	<i>Phyllanthus hookeri</i>	Whole plant	Leafflower (English)	Antidiabetic, spasmatic, wound, fever, inflammation, antibacterial and snake bite	[66]
35.	<i>Phyllanthus kozhikodianus</i>	Whole plant	Leafflower (English)	Anticonvulsant, Antidisentery, jaundice, ulcer, itching, anti microbial	[66]
36.	<i>Phyllanthus maderaspatensis</i>	Whole plant	Hajarmani (Hindi)	Anti – edematic, anti dysentery, Immunomodulatory, fever, ulcer, burn, jaundice, cold, anti microbial.	[66]
37.	<i>Phyllanthus nozeranii</i>	Whole plant	Leafflower (English)	Anti viral, spasmatic, piles, anti bacterial, headache, boils, indigestion	[66]
38.	<i>Jatropha gossypifolia</i> Linn.	leaf	Lapalapa	Bathing wounds, sores, sprains, rash	[67-69]
39.	<i>Jatropha gossypifolia</i> Linn.	stem sap	Lapalapa	Stops bleeding and itching of cuts and scratches	[68 & 70]
40.	<i>Alchornea laxiflora</i>	Whole plant	Lowveld bead-string (English)	Inflammatory and infectious diseases	[71]
41.	<i>Emblica officinalis</i> Gaerth	Fruits	Amla (Hindi)	Acrid, cooling, refrigerant diuretic, used in diarrhoea, dysentery, anaemia, jaundice and cough	[72]
42.	<i>Cnidoscolus aconitifolius</i>	Whole plant	Tree Spinach (Hindi)	Strengthen fingernails and darken gray hair, to cure for alcoholism, insomnia, gout, scorpion stings, brain and vision improvement	[73-74]
43.	<i>Phyllanthus fraternus</i> Webster	Whole plant	gulf leaf- flower (Hindi)	Blennorrhagia, colic, diabetes, dysentery, fever, flu, tumors, jaundice, vaginitis, and dyspepsia, aperitif, carminative, digestive, laxative, stomachic, tonic, and vermifuge	[75]
44.	<i>Croton zambesicus</i> Muell Arg.	leaf	Garden croton (Hindi)	Antihypertensive	[76]
45.	Euphorbia Ligularia. Roxb.	Whole plant	Spurge (Hindi)	Antimicrobial	[77]
46.	<i>Alchornea cordifolia</i> (Schum. & Thonn.) Muel. Arg.	Whole plant	Christmas bush (English)	Venereal diseases, conjunctivitis, dermatoses, stomach ulcers, bronchitis, cough, toothache, treatment of urinary tract infections, infected wounds, diarrhoea, cough, dental caries, chest pain and anaemia, diarrhoea and piles, gonorrhoea, yaws, rheumatic pain and cough	[78-85]
47.	<i>Croton bonplandianum</i>	Leaves	Croton (English)	High blood pressure, for the treatment of skin diseases and cut, wounds, antiseptic and antidote	[86-88]
48.	<i>Antidesma venosum tul.</i>	Whole plant	Tassel berry (English)	Wound dressing and macerate of root and bark used to wash syphilitic and gonorrhreal eruptions, leafy sap is taken with other medicinal plant for diarrhea and amoebic dysentery	[89]
49.	<i>Euphorbia balsamifera</i>	leaves	Spurge	Antimicrobial	[90]



	parts	stem and roots	(English)		
50.	<i>Euphorbia neriifolia</i> Linn.	leaves	Spurge (English)	Aphrodisiac, diuretic and also used in the treatment of bronchitis, bleeding piles and in ano-rectal fistula	[91]
51.	<i>Euphorbia neriifolia</i> Linn.	Whole plant	Spurge (English)	Abdominal troubles, bronchitis, tumors, leucoderma, piles, inflammation, enlargement of spleen, anemia, ulcers, fever and in chronic respiratory troubles	[92]
52.	<i>Euphorbia neriifolia</i> Linn.	latex	Spurge (English)	Wound healing	[93]
53.	<i>Acalypha indica</i> Linn	kucing galak	Khokali (Hindi)	Diuretic, antihelminthic and for respiratory problems such as bronchitis, asthma and pneumonia	[94]
54.	<i>Bridelia retusa</i> Spreng.	Whole plant	Kaji (Hindi)	Rheumatism, urinary infection, promote antifertility and wound healing, leaves and fruits are used as stomachic, anti inflammatory and antifungal	[95-100]
55.	<i>Balspermum montanum</i> (Willd.)	Whole plant	Danti (Hindi)	Headache and respiratory tract, cure wounds and ulcer	[101, 102]
56.	<i>Balspermum montanum</i> (Willd.)	root	Danti (Hindi)	Hepatoprotective and analgesic activity	[103]
57.	<i>Euphorbia royleana</i>	Whole plant	Spurge (English)	Anti-inflammatory	[104]
58.	<i>Cnidosculus chayamansa</i> Mc Vaugh	Leaves infusion	Chayamansa (Hindi)	Hypoglycemic activity	[105-109]
59.	<i>Croton draco</i> Schltdl.	Cortex infusion, latex	Croton (English)	Hypoglycemic activity	[105-109]
60.	<i>Croton torreyanus</i> M'ull Arg.	Whole plant	Croton (English)	Hypoglycemic activity	[105-109]
61.	<i>Euphorbia maculata</i> L.	Cortex infusion, latex	Spurge (English)	Hypoglycemic activity cholera, diarrhea and dysentery	[105-109 & 167]
62.	<i>Euphorbia prostrata</i> Aiton	Leaves infusion	Spurge (English)	Hypoglycemic activity	[105-109]
63.	<i>Jatropha dioica</i> Cerv.	Root infusion	Sangre de grado (English)	Hypoglycemic activity	[105-109]
64.	<i>Jatropha elbae</i> J. Jim'enez Ram.	Bark infusion	Sangre de grado (English)	Hypoglycemic activity	[105-109]
65.	<i>Croton cajucara</i> Benth.	Whole plant	Croton (English)	Hypoglycemic activity	[110]
66.	<i>Maprounea africana</i> Muel	Whole plant	Magic nut (English)	Hypoglycemic activity	[111]
67.	<i>Phyllanthus sellowianus</i> Mull.Arg.	Whole plant		Hypoglycemic activity	[112]
68.	<i>Jatropha curcas</i> (Linn)	Whole plant	Physic nut (English)	Skin infections, gonorrhoea, and jaundice and fever , mouth infections, guinea worm sores and joint rheumatism	[7 & 113-115]
69.	<i>Acalypha wilkesiana</i> (Mull. Arg.)	leaf	Copper leaf (English)	Antimycotic and antibacterial	[116]
70.	<i>Acalypha monostachya</i> Cav.	Whole plant	Round copper leaf (English)	Illnesses like skin eruptions, wound healing and diarrhea	[117]
71.	<i>Aporosa lindleyana</i>	Whole	Lindley's Aporosa	Antioxidant activity, antihyperglycemic effect	[118,119]



		plant	(English)		
72.	<i>Putranjiva roxburghii</i>	Whole plant	Putranjiva (Hindi)	Azoospermia, diuretic, catrrah, ophthalmopathy and constipation, anti-inflammatory, analgesic and antipyretic	[120-121]
73.	<i>Excoecaria agallocha</i> L.	Whole plant	Blinding tree (English)	Treat sores and stings from marine creatures, and ulcers, as a purgative and an emetic, and the smoke of its bark has been used to treat leprosy	[122]
74.	<i>Excoecaria agallocha</i> L.	bark	Blinding tree (English)	Oil has also been found effective against rheumatism, leprosy and paralysis	[122]
75.	<i>Excoecaria agallocha</i> L.	Whole plant	Blinding tree (English)	Potential anti-HIV, anticancer, antibacterial and antiviral properties	[123]
76.	<i>Acalypha torta</i>	Whole plant	Three seeded mercury (English)	Neonatal jaundice	[124-127]
77.	<i>Tragia involucrate</i> Linn.	Whole plant	Indian Stinging-nettle (English)	Pruritic skin eruptions, venereal diseases, haemorrhoids, gastropathy, guinea worms, blood impurities, dipsia, vomiting giddiness, vitiated conditions of pitta, melalgia and brachialgia	[128]
78.	<i>Tragia involucrate</i> Linn.	root	Indian Stinging-nettle (English)	Diaphoretic, fever and infection of skin, cold during fever, also for pains in the legs and arms, external application in leprosy	[7,129, 130]
79.	<i>Croton celtidifolius</i> Baill.	bark and leaf	Croton (English)	Inflammatory diseases, leukemia, ulcer and rheumatism	[131]
80.	<i>Croton eluteria</i> Bennett.	Whole plant	Croton (English)	Balsamic, digestive, hypotensive, narcotic, stomachic and tonic, and used to treat bronchitis, diarrhea and dysentery	[132]
81.	<i>Croton malambo</i> Karst	bark	Croton (English)	Diabetes, diarrhea, rheumatism, gastric ulcer and as anti-inflammatory and analgesic	[133]
82.	<i>Croton nepetaefolius</i> Baill.	Whole plant	Croton (English)	Stomachic, carminative and for the treatment of intestinal colic	[134]
83.	<i>Croton nepetaefolius</i> Baill.	bark and leaves	Croton (English)	Antispasmodic properties and to relieve flatulence and to increase appetite	[135]
84.	<i>Croton palanostigma</i> Klotzsch	latex	Croton (English)	Wound-healer	[136]
85.	<i>Croton palanostigma</i> Klotzsch	Whole plant	Croton (English)	Treating gastric ulcer and intestinal inflammation	[137]
86.	<i>Croton schiedeanus</i> Schlecht.	Whole plant	Croton (English)	Hypertension	[138-139]
87.	<i>Croton urucurana</i> Baill.	Whole plant	Croton (English)	Analgesic and anti-inflammatory effects, treat wound infection, to accelerate wound-healing, to treat rheumatism, cancer and other illnesses.	[140-142]
88.	<i>Croton zehntneri</i> Pax. et Hoffm.	Whole plant	Croton (English)	Sedative, appetite stimulating, antianorexigen and for the relief of gastrointestinal disturbances	[143-144]
89.	<i>Croton arboreous</i> Millsp.	Whole plant	Croton (English)	Auxiliary anti-inflammatory in respiratory ailments	[145]
90.	<i>Croton californicus</i> Müll. Arg.	Whole plant	Croton (English)	Pain reliever for rheumatism	[146]
91.	<i>Croton draco</i> Cham. & Schlecht.	Whole plant	Croton (English)	Wound healing for cuts, open sores, herpes, anti-septic after tooth extraction and for oral sores	[147]
92.	<i>Croton macrostachys</i> Hochst. ex Rich.	Whole plant	Croton (English)	Antidiabetic	[148]
93.	<i>Croton zambesicus</i> Müll.	Whole	Croton (English)	Anti-hypertensive, Anti-microbial (urinary infections)	[149-150]



	Arg.	plant		and to treat malarial linked Fever	
94.	<i>Croton sublyratus</i> Kurz	Whole plant	Croton (English)	Anti-helminthic, treat dermatological problems	[151-152]
95.	<i>Croton tonkinensis</i> Gagnep.,	leaves	Croton (English)	stomach-ache, burns, abscesses, impetigo, dyspepsia and gastric/duodenal ulcers, urticaria, leprosy and psoriasis	[153]
96.	<i>Euphorbia guyoniana</i> Boiss. and Reut.	Whole plant	Spurge (English)	Anti- bacterial	[154]
97.	<i>Euphorbia ebracteolata</i> Hayata	Whole plant	Spurge (English)	Anti- bacterial	[155]
98.	<i>Euphorbia segetalis</i> L.	Whole plant	Spurge (English)	Anti- bacterial	[156]
99.	<i>Euphorbia hyberna</i> L.	Whole plant	Spurge (English)	Anti-viral	[157]
100.	<i>Euphorbia kansui</i>	Whole plant	Spurge (English)	Anti-viral	[158]
101.	<i>Macaranga monandra</i> Müll.Arg.	Whole plant	-	Anti-fungal	[159]
102.	<i>Euphorbia helioscopia</i>	Whole plant	Spurge (English)	Nematicidal	[160]
103.	<i>Jatropha elliptica</i> Müll. Arg.	Whole plant	Parasol Leaf Tree (English)	Moluscicidal	[161]
104.	<i>Jatropha isabellii</i>	Whole plant	-	Antileishmanial	[162]
105.	<i>Jatropha grossidentata</i>	Whole plant	-	Antileishmanial	[162-163]
106.	<i>Euphorbia pterocineura</i>	Whole plant	-	Asthma and cough;	[170]
107.	<i>Croton peraeruginosus</i>	Whole plant	-	Pimples	[170]
108.	<i>Phyllanthus micrandrus</i> Müll. Arg.	Whole plant	-	Wounds, inflammations and infections	[170]

Conclusion

This review has revealed a rich variety of potentially medicinal properties of Euphorbiaceae. The diverse medicinal properties are associated with the adaptation to different geographical location and condition. A detailed investigation of the mechanism will further authenticate the use of these plants as medicines.

Acknowledgement

UGC BSR Faculty fellow grant by UGC, New Delhi sanctioned to Dr. M.C. Gayatri is gratefully acknowledged.

References

- [1]. Wabale AS, Lote KK, Londhe RP, Sabale SL and Mahadik VS. Plants of Ethnomedicinal Importance in Dog Bites. Asian J. Exp. Biol. Sci. SPL. 2010: 156-157.
- [2]. Sikarwar RLS., Bharat Pathak, Anil Jaiswal. Some unique ethnomedicinal perceptions of tribal communities of chitrakoot, Madhya Pradesh. Indian journal of traditional knowledge. 2008;7(4):613-617.
- [3]. Chopra RN, Chopra IC, Handa KL and Kapur LD. Chopra's indigenous drugs of India. UN Dhar & Sons Pvt. Ltd., Calcutta. (1958).
- [4]. Beneth BC. Twenty five economically important plant family. Encyclopedia of life support system.
- [5]. Jeruto P. Phytochemical Analysis, Bioassay and Propagation of some Medicinal Plants in Aldai Division of Nandi south District. MSC thesis, submitted to Maseno University. Ethnobotanical Survey. 2008.



- [6]. Jeruto P, Lukhoba C, Ouma G, Mutai C and Otieno D. An Ethnobotanical study of medicinal plants used by the Nandi people in Kenya. *Journal of Ethnopharmacology* Vol 2008; 116: 370-376.
- [7]. Chopra RN, Nayar SL and Chopra IC. *Glossary of Indian Medicinal Plants*. CSIR, New Delhi, India, 2nd edition. 1956.
- [8]. Yoganarasimhan SN. *Medicinal plants of India*. Vol I, Karnataka. Interline Publishing Private Limited India. 1996; 275.
- [9]. Nadkarni KM. *Indian materis medica*. vol 2. City publishers. 1982; 948.
- [10]. Raju Venkategowda Hosahally, Ganapaty Seru, Prasanna Shankarrao Sutar, Vijaya Gopalachar Joshi, Kishori Prasanna Sutar, Asif Abdulrahiman Karigar. Phytochemical and pharmacological evaluation of *Tragia cannabina* for anti-inflammatory activity. *International Current Pharmaceutical Journal*. 2012; 1(8): 213-216.
- [11]. Moundipa P, Kamini G, Charles F, Iris B. Medicinal Plants from Cameroon with amoebicidal activity: *Codieaum variegatum*, a potential source of new products against Amoebiasis. *Afr. J. Tradit. Complement. Altern. Med.* 2005; 2: 113-121.
- [12]. Edeoga HO, Gomina A. Nutritional values of some nonconventional leafy vegetables of Nigeria. *J. Econ. Taxon.* 2000; Bot. 24:7-13.
- [13]. Gills LS. Ethnomedical uses of plants in Nigeria. University of Benin press, Nigeria. P. 1992; 276.
- [14]. Holm L, Del Y, Holm E, Panchon T, Herberger T. *World weeds. Natural Histories and Distributions*. John Wiley and sons Inc, New York. 1997.
- [15]. Iwu MM. *Hand book of African medicinal plants*. CRP press, Boca Raton, Florida. 1993.
- [16]. Adeniyi BA, odufowora Ro. In-vitro Antimicrobial properties of *Aspilia Africana* (Compositae). *Afr.J.Biomed.Res.* 2000; 3:167-170.
- [17]. Okolico, Akah PA, Ibegbunam in, Erojikwe O. Anti inflammatory Activity of Hexane Leaf extract of *Aspilia Africana*. *J.Ethnopharm.* 2007a; 109(2):219-225.
- [18]. Suarez AI, Blanco Z, Compagnone RS, Salazar-Bookaman MM, Zapata V, Alvarado C. Antinflammatory activity of *Croton cuneatus* aqueous extract. *J. Ethnopharmacol.* 2006. 105 (1-2): 99-101.
- [19]. Sylvestre M, Pichette A, Longtin A, Nagau F, Lagault J. Esseential oil analysis and anticancer activity of leaf essential oil of *Croton flavens* L. from Guadeloupe. *J. Ethnopharmacol.* 2006; 103(1): 99-102.
- [20]. Morales A, Perez P, Mendoza R, Compagnone R, Suarez AI, Arvelo F, Ramirez JL, Castro IG. Cytotoxic and proapoptotic activity of ent-16 β -17 α -dihydroxykaurane on human mammary carcinoma cell line MCF-7. *Cancer lett.* 2005; 218(1): 109-116.
- [21]. Dipak koche, Rupali Shirsat, Syed Imran and D.G. Bhandage. Phytochemical screening of eight traditionally used Ethnomedicinal plants from Akola District (MS) India. *International Journal of Pharma and Bio Sciences*. Vol.1Issue. 2010.
- [22]. Haxaire Claudie. *Phytotherapie et. medicine familiale chez les Gbaya-kara (Republique Centrafricaine)*. These de Doctorat. Universite de Paris, Faculte de pharmacie. 1979; 320.
- [23]. Bouquet A. *Feticheurs et. Medecines traditionnelles du Congo-Brazzaville. Memoires ORSTOM n36*, Paris, France. 1969; 128.
- [24]. Ali MS, Ahmed S and Saleem M. Spirowallichiione. A rearranged multiflorane from *Euphorbia wallichii* Hook F. (Euphorbiaceae). *Molecules* 2008; 13: 405-411.
- [25]. Adjanohoun EJ, Adjakidje V, Ahyi MRA, Ake Assi L, Akoegninou A, d'Almeida J, Akpovo F, Bouke K, Chadare M, Cusset G, Dramane K, Eyme J, Gassita J-N, Gbaguidi N, Goudoté E, Guinko S, Hougnon P, Issa LO, Keita A, Kiniffo HV, Kone-Bamba D, Musampa Nseyya A, Saadou M, Sodogandji T, de Souza S, Tchabi A, Zinsou Dossa C, Zohoun T Contribution aux études ethnobotaniques et floristiques en République Populaire du Bénin: Médecine traditionnelle et pharmacopée, ACCT, Bénin. 1989; 854-895.
- [26]. Kirtikar KR, Basu BD, *Indian Medicinal Plants*, volume III, Bishen Singh Mahendra PalSingh, Dehradun. 1980; 2261-2262.
- [27]. Anonymous. *The Wealth of India*, Vol. I, PID, CSIR, New Delhi. 1985; 47-48.
- [28]. Murugesamudalair, *Materia Medica [Vegetable Section] Part 1*, Directorate of Siddha System of Medicine, Madras. 6th edition. 1988; 361.
- [29]. Henry AN, Hosagoudar VB, Ravikumar K, Ethno – Medico – Botany of the Southern Western Ghats of India. In Jain SK, ed. *Ethnobiology in Human welfare*. Deep Publications, New Delhi. 1996; 173 -180.
- [30]. Balasubramanian P, Prasad SN, Ethnobotany and Conservation of medicinal plants by Irulas of Nilgiri Biosphere Reserve, In Jain SK, ed. *Ethnobiology in Human welfare*, Deep publications, New Delhi. 1996; 271 – 273.
- [31]. Muthukumarasamy S, Mohan VR, Kumaresan S, Chelladurai V. *J. Econ. Taxon. Bot.* 2003; 27, 761–764.
- [32]. Ignacimuthu S, Ayyanar M, Sankara Sivaraman K. *Journal of Ethnobiology and Ethnomedicine*, 2006; 2, 25. doi 10.1186/1746-4269-2-25.
- [33]. Fleurentin J, Pelt JM. *J. Ethnopharmacol.* 1982; 6, 85–108.
- [34]. Mathad VSB, Chandanam D, Ramaiyan D. Anti- diarrhea potential of *Acalyphafruticosa*. Forssk. leaf extracts. www.aapsj.org/abstracts/AM2006. 1998.



- [35]. Gupta M, Mazumdar YK, Sivakumar T, Kuarki S, Sambathkumar R, Manikandan L.
- [36]. Nigerian Journal of Natural Products and Medicine. 2003; 7, 25-29.
- [37]. Mothana RAA, Gruenert R, Lindequist U, Bednarski PJ. *Pharmazie*. 2007; 62, 305-307.
- [38]. Alshawish MAA, Mothana RAA, Al-Shamathy HA, Alsllami SF, Lindequist U. *eCAM*. Page 1 of 4. Doi: 10.1093/ecam/nem 148. 2007.
- [39]. Saroja K, Dulcy Elizabeth J and Gopalakrishnan S. *Acalypha fruticosa* Forssk.-A Potential Wound Healing Drug. In: Symposium on Bioresources in the Development of Medicine. National Facility for Marine Cyanobacteria, Bharathidasan University, Tiruchirappalli. Bharathidasan University, Tiruchirappalli.20.9.2007-22.9.2007.
- [40]. Mothana RAA, Abodo SAA, Hasson S, Althawab FMN, Alaghbari SAA, Lindequist U, *eCAM*, 2008, doi 10.1093/ecam/nem004.
- [41]. Sane RT, Kuber VV, Challisary MS, Menon S. Hepetoprotection by *Phyllanthus amarus* and *Phyllanthus debilis* CCl₄ induced liver dysfunction. Current Sciences. 1995; 68, 1243-1246.
- [42]. Bessong PO, Rojas LB, Obi LC, Tshisikawe PM, Ignor EO. Further screening of Venda medicinal plants for activity against HIV type 1 reverse transcriptase and integrase. *Afr. J. Biotechnol.* 2006; 5, 526-528.
- [43]. Iwalewa EO, McGaw LJ, Naidoo V, Eloff JN. Inflammation: The foundation of diseases and disorders. A review of phytomedicines of South African origin used to treat pain and inflammatory conditions. *Afr. J. Biotechnol.* 2007; 25, 2868-2885.
- [44]. Kerharo J and Adam JG. Deuxième inventaire des plantes médicinales et toxiques de la Casamance (Sénégal), Ann. Pharm. Franc. 1963; 21:853-70.
- [45]. Olotu N Paul, Ibrahim Hajara, Ilyas Naija , Ajima Ukpe & Olotu A. Ijeoma Phytochemical Screening And Analgesic Studies Of The Root Bark Of *Hymenocardia Acida*, Tul (Euphorbiaceae). International Journal of Drug Development & Research. Jan-March 2011 Vol. 3 Issue 1
- [46]. Onocha PA, Oloyede GK and Afolabi QO. Phytochemical investigation, cytotoxicity and free radical scavenging activities of non-polar fractions of *Acalypha hispida* (leaves and twigs) .EXCLI Journal. 2011; 10:1-8.
- [47]. Adeneye AA, Benebo AS, Agbaje EO. Protective effect of the Aqueous Leaf and seed Extract of *Phyllanthus amarus* on Alcohol – induced hepatotoxicity in rats. West Afr. J. Pharmacol. Drug Res. 2006; 22&23:42-50.
- [48]. Kokwaro JO. Medicinal Plants of East Africa Literature Bureau. 1976; 95.
- [49]. Odetola AA, Akkojenu SM. Antidiarrhoeal and gastrointestinal potentials of the aqueous extracts of *Phyllanthus amarus* (Euphorbiaceae). Afri. J.Med. Sci. 2000; 29: 119-122.
- [50]. Thyagarajan SP; Subramanian S, Thirunalasundar T. Effects of *Phyllanthus amarus* on the chronic carriers of hepatitis B virus. Lancet. 1988; 2: 764-766.
- [51]. Joy KL, Kuttan R. Inhibition by *Phyllanthus amarus* of hepatocarcinogenesis induced by NNitrosodiethylamine. J. Bioch. Nutr. 1998; 24: 133-139.
- [52]. Kassuya CA, Silerstre AA, Rehder V, Calixto JB. Anti allodynic and antioedematogeni properties of the lignan from *Phyllanthus amarus* in models of persistent inflammatory and neuropathic pain. Eur. J Pharm. 2003; 478: 145-153.
- [53]. Adeneye AA. Amole OO, Adeneye AK. The hypoglycemic and hypcholesterolemic activities of the aqueous leaf and seed extract of
- Phyllanthus amarus* in mice. Fitoterapia. 2006; 77: 511-514.
- [54]. Omwenga EO, Okemo PO, Mbugua PK, Ogol CKP. Ethnobotanical Survey and Antimicrobial Evaluation of Medicinal Plants used by the Samburu Community (Kenya) for treatment of Diarrhea. Pharmacognosy Magazine. 2009; 4(18): 165-176.
- [55]. Hedberg I, Hedberg O, Madati PJ, Mshingeni KE, Mshiu EN and Samuelson G. J. Ethnopharmacol. 1983; 91: 1105-127.
- [56]. Ivan A. Chemical constituents, traditional and modern uses. In: Medicine plants of the world. Ross Humana Press Inc., Totowa, NJ, 1998; 375 – 395.
- [57]. Dhar ML, Dhar MM, Dhawan BN, Mchrotra BN, Ray C. Screening of Indian plants for biological activity, part I. Indian journal of Experimental Biology. 1968; 6, 232 – 247.
- [58]. Capasso F, Mascolo N, Izzo AA, Gaginella TS. Dissociation of castor oil induced diarrhea and intestinal mucosal injury in rat: effect of NG – nitro – L- arginine methyl ester. British journal of pharmacology. 1994; 113, 1127 – 1130.
- [59]. Aliyu AB, Musa AM, Abdullahi MS, OywaleAO, Gwarzo US. Activity of plant extracts used in Northern Nigerian traditional medicine against methicillin- resistant *staphylococcus aureus* (MRSA). Nigerian Journal of Pharmaceutical Sciences Vol. 7, No. 1, March, 2008.
- [60]. R. I. Okoli, A. A. Turay, J.K. Mensah and A.O. Aigbe, Phytochemical and Antimicrobial Properties of Four Herbs from Edo State, Nigeria. Report and Opinion,2009;1(5).
- [61]. Jayaveers. K.N, Yoganandham Reddu. K, Govindarajula Yadav, Kumanan. R. Phytochemical screenings, Antibacterial activity and physico chemical constants of ethanolic extract of *Euphorbia Thymifolia* Linn. International Journal of Pharmacy and



- pharmaceuticals sciences. Vol 2, Issue 3, 2010.
- [62]. Jurberg P, Cabral Neto JB, Schall VT. Molluscicide activity of the 'avelos' plant (*Euphorbia tirucalli*, L.) on *Biomphalaria glabrata*, the mollusk vector of schistosomiasis. *Memorias do Instituto Oswaldo Cruz*. 1985; 80, 423–427.
- [63]. Tiwari S, Singh P, Singh A. Toxicity of *Euphorbia tirucalli* plant against freshwater target and non-target organisms. *Pakistan Journal of Biological Sciences*. 2003; 6, 1423–1429.
- [64]. Lirio LG, Hermano ML, Fontanilla MQ. Antibacterial activity of medicinal plants from the Philippines. *Pharmaceutical Biology* 1998; 36, 357–359.
- [65]. Betancur-Galvis LA, Morales GE, Forero JE, Roldan J. Cytotoxic and antiviral activities of Colombian medicinal plant extracts of the *Euphorbia* genus. *Memorias do Instituto Oswaldo Cruz*. 2002. 97, 541–546.
- [66]. Rezende JR, Rodrigues SB, Jabor IAS, Pamphil JA, Rocha CLMSC. Efeito antimutagenico do latex de *Euphorbia tirucalli* no sistema metionina em *Aspergillus nidulans*. *Acta Scientiarum Biological Sciences*. 2004; 26, 481–484.
- [67]. Ananthagiri Komuraiah, Krishna Bolla, Kollu Narasimha Rao, Ragan A, Raju VS and Singara Charya MS. Antibacterial studies and phytochemical constituents of South Indian *Phyllanthus* species. *African Journal of Biotechnology*. 2009; Vol. 8 (19), pp. 4991-4995, 5.
- [68]. Morton JF. Economic Botany. 1968. 22(1): 87 – 102.
- [69]. Morton JF. *Atlas of medicinal plants of Middle America: Bahamas to Yucatan*. Charles C. Thomas Pub Ltd, Springfield, Illinois, xxviii. 1981; pp. 1-1420.
- [70]. Omoregbe RE, Ikuebe OM, Ihimire IG. *African Journal of Medicine and Medical Science*, 1996; 25(4): 373 – 375.
- [71]. Horsten SFJA, van den Berg AJJ, Kettenes-van den Bosch JJ, Leeflang BR.n Labadie RP. *Planta Medica*. 1996; 62(1): 46-50.
- [72]. Kayode J, Omotoyinbo MA. Nigeria Ethno Botanical leaflet. 2008; 12, 7.
- [73]. Chopra RN, Nayer SL, Chopra IC. *Glossary of Indian Medicinal Plants*, 3rd edn. Council of Scientific and Industrial Research, New Delhi. 1992; 7–246.
- [74]. Jensen SA. Chaya, the Mayan miracle plant. *Journal of Food Science*. 1997; 51: 234-244.
- [75]. Atuahene CC, Poku-Prempeh B, Twun G. The nutritive values of chaya leaf meal (*Cnidoscolus aconitifolius*) Studies with broilers chickens. *Anim. Feed Sci. Technol.* 1999; 77: 163-172.
- [76]. Leslie, Taylor. *Herbal Secrets of the Rainforest*. 2nd Edition. Sage Press Incorporated. 2003.
- [77]. Adjanohoun EJ, Adjakidje V and de Sauza, S. Contribution aux Etudes. Ethnobotaniques et Floristiques en Republique. Paris. 1989; pp. 245.
- [78]. Jamkhandi CM, Disouza JI, Mahanthesh MC & Chougule US. Phytochemical Screening & Antimicrobial Activity of Leaves of The Plant *Euphorbia Ligularia*. Roxb. *Asian Journal of Biochemical and Pharmaceutical Research. Issue 4 (Vol. 1)* 2011.
- [79]. Le Grand A, Wondergem PA. Antiinfective Phytotherapy of the Savannah Forests of Senegal (East Africa). An Inventory, J. *Ethnopharmacol.* 1987; 21(2):109-125.
- [80]. Le Grand A. Anti-infectious Phytotherapy of the Tree-Savannah, Senegal (West Africa) III; A Review of the Phytochemical Substances and Anti-microbial Activity of 43 Species, J. *Ethnopharmacol.* 1989; 25(3):315-338.
- [81]. Kambu K, Tona L, Kaba S, Cimanga K, Mukala N. Antispasmodic Activity of Extracts Proceeding of Plant, Antidiarrhoeic Traditional Preparations used in Kinshasa, Zaire, Ann Pharm FR.1990. 48(4):200-208.
- [82]. Muanza DN, Kim BW, Euter KL, Williams L. Antibacterial and Antifungal Activities of Nine Medicinal Plants from Zaire, Int. J. Pharmacog. 1994; 32(4):337-345.
- [83]. Dalziel JM. *The Useful Plants of West Tropical Africa*, 3rd edition, Crown Agents for Oversea Government and Administration, Millbank, London. 1956; pp. 455.
- [84]. Macfoy CA, Sama AM. Medicinal Plants in Pujehun District of Sierra Leone, J. *Ethnopharmacol.* 1990; 30(3):610-632.
- [85]. Gbile ZO, Adeshina SK. Nigerian Flora and its Pharmaceutical Potentials, Mediconsult. 1986; 31:7-16.
- [86]. Ogungbamila FO, Samuelsson G. Smooth Muscle Relaxing Flavonoids from *Alchornea cordifolia*. *Acta. Pharm. Nordica*. 1990; 2(6): 421- 422.
- [87]. Nishanta R, Harris CS, Towers GHN. Antimicrobial activity of plants collected from serpentine outcrops in Sri Lanka. *Pharmaceutical Biology*. 2002; 40(3): 235–244.
- [88]. Chaudhuri AB. *Endangered Medicinal Plants*. Delhi Daya Publishing House.2007.
- [89]. Bhakat RK, Sen UK. Ethnomedicinal plant conservation through sacred groves. *Tribes and Tribals*. 2008; 2: 55-58.
- [90]. Odugbemi T and Akinwade AI. *Outlines and Pictures of Medicinal Plants from Nigeria*, University of Lagos Press. 2006; 102pp.
- [91]. Kamba AS and Hassan LG. Phytochemical screening and antimicrobial activities of *Euphorbia balsamifera* leaves, stems and root against some pathogenic microorganisms. *African Journal of Pharmacy and Pharmacology* Vol. 4(9) September 2010. pp. 645-652.



- [92]. Kirtikar KR, Basu BD. Indian Medicinal Plants. Vol. II, Dehradun, India, International Book Distributors. 1996; p. 1581.
- [93]. Anonymous. The Useful Plants of India, New Delhi. CSIR Publication. 1994; 213: 270.
- [94]. Rasik AM, Shukla A, Patnaik BN, Dhawan DK, Srivastava KS. Wound healing activity of latex of *Euphorbia neriifolia*. Indian J. Pharmacol. 1996; 28: 107-109.
- [95]. Varier VPS. Indian medicinal plants a compendium of 500 species Orient Longman. Publication Madras India. 1996; 134.
- [96]. Nadkarni AK and Nadkarni KR. Indian Materia Medica, Vol I Bombay, Popular Prakashan. 2000; pp.219-220.
- [97]. Mishra DP and Sahu TR. Euphorbiaceous plants used in the medicine by tribals of Madhya Pradesh. *J Econ Taxon Bot.* 1984; 5, 791-794.
- [98]. Atal CK and Kapoor BM. Cultivation and Utilization of medicinal plants CSIR New Delhi, 1982; 503-544.
- [99]. Joshi MC, Patel MB and Mehta PJ. Some medicines of Gujarat State, Bull Medico Ethno Bot Res. 1980; 1, 18-24.
- [100]. Tribedi GN, Kayal RN and Rai HN. Some medicinal plants of Mayurbhanj (Orissa), Bull Bot Surv India. 1982, 24, 117-120. Mehare ID and Hatapakki BC, Anti-inflammatory activity of ethanolic extract of bark of *Bridelia retusa*, *Indian J Pharm Sci*, 2003, 65(4), 410-411.
- [101]. Jayasinghe K, Kumarihamy BK, Jayarathna KN and Gayathri NM, Antifungal of the stem bark of *Bridelia retusa*. Phytochemistry. 2003; 62(4), 637-641.
- [102]. Paget GE and Barnes JM. Evaluation of drug activities pharmacometrics. Academic Press New York. 1983; VOL. 1: 115-118.
- [103]. Leung AY. Fosters Encyclopedia of common natural ingredients in food and diet of animal. 1996; VOL.2: 297-299.
- [104]. Mukherjee PK. Quality Control of Herbal drug. Pharmaceutical Publishers. 2002; VOL.1: 2-30.
- [105]. Sudhanshu T, Ajay S. Piscicidal and anti-acetylcholinesterase activity of *Euphorbia royleana* stem bark extracts against freshwater common predatory fish *Channa punctatus*. Environ. Toxicol. Pharmacol. 2004; 18: 47-53.
- [106]. Andrade-Cetto A. Estudio Etnobotánico y Fitoquímico de plantas útiles en la región de Xochipala Guerrero para el tratamiento de la diabetes NID. Tesis de Maestría. Facultad de Ciencias, UNAM, México. 1995; 93.
- [107]. Andrade-Cetto A. Estudio Etnofarmacológico de *Equisetum myriochaetum* Schlechtendal & Cham y *Cecropia obtusifolia* Bertol. Tesis Doctoral. Facultad de Ciencias, UNAM, México 1999; 97.
- [108]. Andrade-Cetto A. Wiedenfeld H, Revilla-Monsalve MC, Islas AS. Hypoglycemic effect of *Equisetum myriochaetum* aerial parts on Streptozotocin diabetic rats. Journal of Ethnopharmacology. 2000; 72, 129-133.
- [109]. Andrade-Cetto A. Wiedenfeld H. Hypoglycemic effect of *Cecropia obtusifolia* on Streptozotocin diabetic rats. Journal of Ethnopharmacology. 2001; 78, 145-149.
- [110]. Andrade-Cetto A. Wiedenfeld H. Hypoglycemic effect of *Acosmum panamense* bark on Streptozotocin diabetic rats. Journal of Ethnopharmacology. 2004; 90, 217-220.
- [111]. Farias RA, Rao VS, Viana GS. Hypoglycaemic effect of trans-dehydrocrotonin, a nor-clerodane diterpene from *Croton cajucara*. Planta Med. 1997; 63: 558-560.
- [112]. Carney JR, Krensky JM, Williamson RT. Maprouneacin, a new daphnane diterpenoid with potent antihyperglycaemic activity from *Maprounea africana*. J Nat Prod. 1999; 62: 345-347.
- [113]. Hnatczyn O, Miño J, Ferraro G, Acevedo C. The hypoglycemic effect of *Phyllanthus sellowianus* fractions in streptozotocin-induced diabetic mice. Phytomedicine. 2002; 9, 556-559.
- [114]. Dalziel JM. The Useful Plants of West Tropical Africa. Crown Agents for the Colonies, London. 1937.
- [115]. Irvine FR. Woody Plants of Ghana (with special reference to their uses). 2nd Edn. OUP, London. 1961; pp: 233-237.
- [116]. Oliver-Bever B. Medicinal Plants in Tropical West Africa, Cambridge University Press, London.1986.
- [117]. Oliver-Bever B. Medicinal Plants in Tropical West Africa. Cambridge: Cambridge University Press 1986; 142.
- [118]. Hernandez T, Canales M, Avila JG, Duran A, Caballero J, Romo de Vivar A, Lira R Ethnobotany and antibacterial activity of some plants used in traditional medicine of Zapotitlan de las Salinas, Puebla (Mexico). J. Ethnopharmacol. 2003; 88: 181-188.
- [119]. Badami S, Om Prakash, Dongra SH, Suresh B. *In vitro* antioxidant properties of *Solanum pseudocapsicum* leaf extracts. Indian J. Pharmacol. 2005b; 37: 251-252.
- [120]. Jayakar B, Suresh B. Antihyperglycemic and hypoglycemic effect of *Aporosa lindleyana* in normal and alloxan induced diabetic rats. J. Ethnopharmacol. 2003; 84(2-3): 247-249.
- [121]. Sahni KC. The book of Indian tree, Himalays Publishing House, Second edition. 2009; 285-289.
- [122]. Wantana R, Tassanee N, Sanan S. Antipyretic, anti-inflammatory and analgesic activity of *Putranjiva roxburghii* leaves, Net Med (Tokyo). 2009; 63(3): 290-296.
- [123]. Ghani A. Medicinal Plants of Bangladesh, 2nd ed. The Asiatic



- Society of Bangladesh. 2003; pp. 228-229.
- [124]. Peter KLN, Sivasothi NA. Guide to the Mangroves of Singapore I: The Ecosystem and Plant Diversity, Singapore Science Centre. 1999; pp.111-112.
- [125]. HM Burkhill. Useful plants of West Tropical Africa Second edition, vol. 1, Royal Botanical Gardens Kew.1987; 88-91.
- [126]. Akube PI. Nigerian medicinal plants Pharmacology and toxicology; the state of medicinal plant research in Nigeria. 1990; 53-54.
- [127]. Cragg GM , Newmann DJ and Snader KM. Journal of Natural Products. 1997; 60: 52-60.
- [128]. Adesina SK, Idowu O, Ogundaini AO, Oladimeji H, Olugbade TA and Onawunmi GO. *Phytother Res*. 2000; 14: 371-4.
- [129]. Warrier PK, Nambiar VPK and Ramankutty C. Indian Medicinal Plants. Orient Longmann Ltd Madras. 1994; 304.
- [130]. Kiritikar KR and Basu BD. Indian Medicinal Plants. Bjshen singh mahendra Pal shingh, Dehra Dun, 2nd edition, vol.III. 1994; 2280-81.
- [131]. Caius JF. The Medicinal and Posionous plants of India. Scientific Publishers, Jodhpur. 1986; 230,
- [132]. Nardi GM, Felippi R, Dalbó S, Siqueira-Junior, JM. Arruda DC, Delle Monache F, Timbola AK, Pizzolatti MG, Ckless K, Ribeiro-do-Vale RM. *Phytomedicine*. 2003; 10, 176.
- [133]. Vigor C, Fabre N, Fourasté I, Moulis C. *Phytochemistry*. 2001; 57, 1209.
- [134]. Suárez AI, Compagnone RS, Salazar-Bookaman MM, Tillet S, Delle Monache F, Di Giulio C, Bruges G. J. *Ethnopharmacol*. 2003; 88, 11.
- [135]. Moura VLA. Monte FJO. Braz-Filho R. *J. Nat. Prod*.1990; 53, 1566.
- [136]. Lahlou S, Leal-Cardoso JH, Magalhães PJC. *Planta Med*. 2000; 66, 138.
- [137]. Porrasreyes RH, Lewis WH, Roman J. Simchowitz L, Mustoe TA. *Proc. Soc. Exp. Biol. Med*. 1993; 203, 18.
- [138]. Miller MJS, MacNaughton WK, Zhang X-J, Thompson JH, Charbonnet RM, Bobrowski, P, Lao J, Trentacosti AM, Sandoval M. *Am. J. Physiol.-Gastroint. Liver Physiol*. 2000; 279, G192.
- [139]. Guerrero MF, Carrón R, Martin ML, San Román L, Reguero MT. *J. Ethnopharmacol*. 2001; 75, 33.
- [140]. Guerrero MF, Puebla P, Carrón R, Martin ML, Román LS. *J. Pharm. Pharmacol*. 2002; 54, 1373.
- [141]. Peres MTLP, Pizzolatti MG, Yunes RA, Delle Monache F, *Phytochemistry*. 1998; 49, 171.
- [142]. Orlandi-Mattos PE, Geremias R, Cordova CAS, Creczynski-Pasa TB, Rebello JM, Wilhelm D, Martins DTO, Llesuy S, Pedrosa RC. *Free Radical Biol. Med*. 2002; 33, 645.
- [143]. Peres MTLP, Delle Monache F, Bella Cruz A, Pizzolatti MG, Yunes RA, *J. Ethnopharmacol*. 1997; 56, 223.
- [144]. Coelho-de-Souza AN. Barata EL, Magalhães PJC, Lima CC, Leal-Cardoso JH. *Phytother. Res*. 1997; 11, 299.
- [145]. Coelho-de-Souza AN, Criddle DN, Leal-Cardoso JH. *Phytother. Res*. 1998; 12, 189.
- [146]. Aguilar-Guadarrama AB, Rios MY. *J. Nat. Prod*. 2004; 67, 914.
- [147]. Chavez PI, Jolad SD, Hoffmann JJ, Cole JR. *J. Nat. Prod*. 1982; 45, 745.
- [148]. Murillo RM, Jakupovic J, Rivera J, Castro VH, *Rev. Biol. Trop*. 2001; 49, 259.
- [149]. Kapingu MC, Guillaume D, Mbawambo ZH, Moshi MJ, Uliso FC, Mahunnah RLA, *Phytochemistry*. 2000; 54, 767.
- [150]. Block S, Baccelli C, Tinant B, Meervelt LC, Rozenberg R, Jiwan J-LH., Llabrés G, Pauw-Gillet M-C, Quetin- Leclercq J. *Phytochemistry* 2004; 65, 1165.
- [151]. Block S, Stévigny C, De Pauw-Gillet MC, De Hoffmann E, Llabrés G, Adjakidjé V, Quetin-Leclercq. *J. Planta Med*. 2002; 68, 647.
- [152]. Tansakul P, De-Eknamkul W. *Phytochemistry*. 1998; 47, 1241.
- [153]. Vongchareonsathit A, De-Eknamkul W. *Planta Med*. 1998; 64, 279.
- [154]. Giang PM, Jin HZ, Son PT, Lee JH, Hong YS, Lee JJ. *J. Nat. Prod*. 2003; 66, 1217.
- [155]. El-Bassuony AA. Antibacterial activity of new polyester diterpenes from *Euphorbia guyoniana*. *Asian J. Chem*. 2007; 19: 4553-4562.
- [156]. Xu ZH, Sun J, Xu RS, Qin JW. Casbane diterpenoids from *Euphorbia ebracteolata*? *Phytochem*. 1998; 49: 149-151.
- [157]. Madureira AM, Valente C, Bastos AC, Ascenso JR, Ferreira MJU. Study of the methanol extract of *Euphorbia segetalis*. *Pr. Phyt. Soc*. 2002; 47: 65-71.
- [158]. Bedoya LM, Marquez N, Martinez N, Gutierrez-Eisman S, Alvarez A, Calzado MA, Rojas JM, Appendino G, Munoz E, Alcamí J SJ23B. A Jatrophane diterpene activates classical PKCs and displays strong activity against HIV *in vitro*. *Biochemim. Pharmacol*. 2009; 77: 965- 978.
- [159]. Zheng WF, Cui Z, Zhu Q Cytotoxicity and antiviral activity of the compounds from *Euphorbia kansui*. *Planta med*. 1998; 64: 754-756.
- [160]. Salah MA, Bedir E, Toyang NJ, Khan IA, Harries MD, Wedge DE. Antifungal clerodane Diterpenes from *Macaranga monandra* (L) Muell. et Arg. (Euphorbiaceae). *J. Agr. Food Chem*. 2003; 51: 7607- 7610.
- [161]. Devi LS, Gupta P. Evaluation of some plant latices against *Heterodera cajani* on cowpea (*Vigna sinensis*). *Natl. Acad. Sci. Lett*. 2000; 23: 65-67.
- [162]. dos Santos AF, Sant'Ana AEG. Molluscicidal activity of the diterpenoids jatropholones A and B



- isolated from *Jatropha elliptica* (Pohl) Muell. Arg. Phytother. Res. 1999; 13: 660-664.
- [163]. Schmeda-Hirschmann G, Razmilic I, Sauvain M, Moretti C, Munoz V, Ruiz E, Balanza E, Fournet A. Antiprotozoal activity of jatrogrossidione from *Jatropha grossidentata* and Jatrophe from *Jatropha isabellii*. Phytother. Res. 1996; 10: 375-378.
- [164]. Akendengue B, Ngou-Milama E, Laurens A, Hocquemiller R. Recent advances in the fight against leishmaniasis with natural products. Parasite. 1999; 6: 3-8.
- [165]. Cataluna RSMK. The traditional use of the latex from *Euphorbi tirucalli* Linnaeus (Euphorbiaceae) in the treatment of cancer in South Brazil. Second World Congress on Medicinal and Aromatic Plants for Human Welfare Wocmap. 1999; 2: 501: 289-295.
- [166]. Duke JA Handbook of Energy Crops. Purdue University centre for new crops and plant products. www.hort.purdue.edu. 1983; Accessed on 1 March 2009.
- [167]. Van Damme P. Het traditioneel gebruik van *Euphorbia tirucalli*. Afr. Focus. 1989; 5: 176-203. www.botanical.com.
- [168]. Gupta B, Rasmi S, Goyal Radha. Therapeutic Uses of *Euphorbia thymifolia*. A Review. Pharmacogn. Rev. 2007;1: 299-304.
- [169]. Kapoor LD. Handbook of Ayurvedic medicinal plants, In L. D. Kapoor, (ed.). Med.plants. CRC Press. 1989.
- [170]. Ankli A, Sticher O, Heinrich M. Medical ethnobotany of the Yucatec Maya: Healers' consensus as a quantitative criterion. Econ. Bot. 1999; 53: 144-160.
- [171]. Seigler DS. Phytochemistry and systematics of the Euphorbiaceae. Ann. Mol. Bot. Gard. 1994; 81: 380-401.
- [172]. Palatnick W, Tenenbein M. Hepatotoxicity from Castor Bean Ingestion in a Child. Clin. Toxicol. 2000; 38: 67-69.
- [173]. Mampane KJ, Joubert PH, Hay IT. *Jatropha curcas*: Use as a traditional Tswana medicine and its role as a cause of acutepoisoning. Phytother. Res. 1987; 1: 50-51.
- [174]. Abdel-Fattah MR. The chemical constituents and economic plants of the Euphorbiaceae. Bot. J. Linn. Soc. 1987; 94: 293-326.
- [175]. Hirota M, Suttajit M (1988). A new tumor promoter from the seed oil of *Jatropha curcas* L., an intramolecular diester of 12-deoxy-16-hydroxyphorbol. Cancer Res., 48: 5800-5804.
- [176]. Van Damme PLJ. *Euphorbia tirucalli* for high biomass production, in: A. Schlissel and D. Pasternak (Eds.), Combating desertification with plants, Kluwer Academic Pub.2001; pp. 169-187.
- [177]. Vogg G, Mattes E, Rothenburger J, Hertkorn N, Achatz S, Sandermann H. Tumor promoting diterpenes from *Euphorbia leuconeura* L. Phytochem. 1999; 51: 289-295.
- [178]. Shlamovitz GZ, Gupta M, Diaz JA. A case of acute keratoconjunctivitis from exposure to latex of *Euphorbia tirucalli* (pencil cactus). J. Emerg. Med. 2009; 36: 239-241.
- [179]. Hooper M. Major herbs of Ayurveda. Elsevier Health Sciences, Elsevier, The Netherlands. 2002; p. 340.
- [180]. Lai XZ, Yang YB, Shan XL. The Investigation of Euphorbiaceous Medicinal Plants in Southern China. Econ. Bot. 2004; 58: S307-S320.
- [181]. Appendino G, Szallasi A (1997). Euphorbium: Modern research on its active principle, resiniferatoxin, revives an ancient medicine. Life Sci., 60: 681-696. www.drugs.com

